



PATENT

Attorney Docket No. UM-08901

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: David Ginsburg *et al.*
Serial No.: 10/781,362
Filed: 02/18/2004
Entitled: MCFD2 Nucleic Acids and Proteins

Group No.:
Examiner:

INFORMATION DISCLOSURE
STATEMENT TRANSMITTAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 6, 2004.

By:

Mary Ellen Waite

Sir or Madam:

Enclosed please find an Information Disclosure Statement and Form PTO-1449, including copies of the references contained thereon, for filing in the U.S. Patent and Trademark Office.

This Information Disclosure Statement is being filed before the issuance of a first Office Action, therefore, Applicant's believe no fee is required.

The Commssioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated: July 6, 2004

David A. Casimir
Registration No. 42,395

MEDLEN & CARROLL, LLP
101 Howard Street, Suite 305
San Francisco, California 94105
608/218-6900



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: **David Ginsburg *et al.***

Serial No.: **10/781,362**

Filed: **02/18/2004**

Entitled: **MCFD2 Nucleic Acids and Proteins**

Group No.:

Examiner:

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on **July 6, 2004**.

By: 

Mary Ellen Waite

Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

The following printed publications are referred to in the body of the specification:

- Appenzeller, C., Andersson, H., Kappeler, F., and Hauri, H.P. (1999). The lectin ERGIC-53 is a cargo transport receptor for glycoproteins. *Nat. Cell Biol.* 1, 330-334
- Arar, C., Carpentier, V., Le Caer, J.P., Monsigny, M., Legrand, A., and Roche, A.C. (1995). ERGIC-53, a membrane protein of the endoplasmic reticulum-Golgi intermediate compartment, is identical to MR60, an intracellular mannose-specific lectin of myelomonocytic cells. *J. Biol. Chem.* 270, 3551-3553

- Belden,W.J. and Barlowe,C. (2001). Role of Erv29p in collecting soluble secretory proteins into ER-derived transport vesicles. *Science* 294, 1528-1531.
- Chiu,H.C., Schick,P.K., and Colman,R.W. (1985). Biosynthesis of factor V in isolated guinea pig megakaryocytes. *J. Clin. Invest.* 75, 339-346
- Deka,N., Wong,E., Matera,A.G., Kraft,R., Leinwand,L.A., and Schmid,C.W. (1988). Repetitive nucleotide sequence insertions into a novel calmodulin-related gene and its processed pseudogene. *Gene* 71, 123-134
- Do,H., Healey,J.F., Waller,E.K., and Lollar,P. (1999). Expression of factor VIII by murine liver sinusoidal endothelial cells. *J. Biol. Chem.* 274, 19587-19592
- Fiedler,K. and Simons,K. (1994). A putative novel class of animal lectins in the secretory pathway homologous to leguminous lectins. *Cell* 77, 625-626
- Fiedler,K. and Simons,K. (1996). Characterization of VIP36, an animal lectin homologous to leguminous lectins. *J. Cell Sci.* 109 (Pt 1), 271-276
- Ginsburg,D. (2002). Hemophilia and Other Disorders of Hemostasis. In Emery and Rimoin's Principles and Practice of Medical Genetics, Vol. II, D.L.Rimoin, J.M.Connor, and R.E.Pyeritz, eds. (New York: Churchill Livingstone), pp. 1926-1958
- Hebert,D.N., Foellmer,B., and Helenius,A. (1995). Glucose trimming and reglucosylation determine glycoprotein association with calnexin in the endoplasmic reticulum. *Cell* 81, 425-433
- Itin,C., Roche,A.C., Monsigny,M., and Hauri,H.P. (1996). ERGIC-53 is a functional mannose-selective and calcium-dependent human homologue of leguminous lectins. *Mol. Biol. Cell* 7, 483-493
- Kappeler,F., Klopfenstein,D.R., Foguet,M., Paccaud,J.P., and Hauri,H.P. (1997). The recycling of ERGIC-53 in the early secretory pathway. ERGIC-53 carries a cytosolic endoplasmic reticulum-exit determinant interacting with COPII. *J. Biol. Chem.* 272, 31801-31808
- Kaufman,R.J. (1998). Post-translational modifications required for coagulation factor secretion and function. *Thromb. Haemost.* 79, 1068-1079

- Kaufman,R.J., Wasley,L.C., and Dorner,A.J. (1988). Synthesis, processing, and secretion of recombinant human factor VIII expressed in mammalian cells. *J. Biol. Chem.* 263, 6352-6362
- Klumperman,J., Schweizer,A., Clausen,H., Tang,B.L., Hong,W., Oorschot,V., and Hauri,H.P. (1998). The recycling pathway of protein ERGIC-53 and dynamics of the ERGolgi intermediate compartment. *J. Cell Sci.* 111 (Pt 22), 3411-3425
- Lander,E.S. and Botstein,D. (1987). Homozygosity mapping: A way to map human recessive traits with the DNA of inbred children. *Science* 236, 1567-1570.
- Kuehn,M.J., Herrmann,J.M., and Schekman,R. (1998). COPII-cargo interactions direct protein sorting into ER-derived transport vesicles. *Nature* 391, 187-190.
- Levy,G.G., Nichols,W.C., Lian,E.C., Foroud,T., McClintick,J.N., McGee,B.M., Yang,A.Y., Siemieniak,D.R., Stark,K.R., Gruppo,R., Sarode,R., Shurin,S.B., Chandrasekaran,V., Stabler,S.P., Sabio,H., Bouhassira,E.E., Upshaw,J.D., Jr., Ginsburg,D., and Tsai,H.M. (2001). Mutations in a member of the ADAMTS gene family cause thrombotic thrombocytopenic purpura. *Nature* 413, 488-494
- Lewis,M.J., Sweet,D.J., and Pelham,H.R. (1990). The ERD2 gene determines the specificity of the luminal ER protein retention system. *Cell* 61, 1359-1363
- Martin-Bermudo,M.D. and Brown,N.H. (2000). The localized assembly of extracellular matrix integrin ligands requires cell-cell contact. *J. Cell Sci.* 113 Pt 21, 3715-3723
- Martinez-Menarguez,J.A., Geuze,H.J., Slot,J.W., and Klumperman,J. (1999). Vesicular tubular clusters between the ER and Golgi mediate concentration of soluble secretory proteins by exclusion from COPI- coated vesicles. *Cell* 98, 81-90
- Moussalli,M., Pipe,S.W., Hauri,H.-P., Nichols,W.C., Ginsburg,D., and Kaufman,R.J. (1999). Mannose-dependent endoplasmic reticulum (ER)-Golgi intermediate compartment-53-mediated ER to Golgi trafficking of coagulation factors V and VIII. *J. Biol. Chem.* 274, 32539-32542

- Muniz,M., Morsomme,P., and Riezman,H. (2001). Protein sorting upon exit from the endoplasmic reticulum. *Cell* 104, 313-320
- Lander,E.S., Linton,L.M., Birren,B., Nusbaum,C., Zody,M.C., Baldwin,J., Devon,K., Dewar,K., Doyle,M., FitzHugh,W., Funke,R., Gage,D., Harris,K., Heaford,A., Howland,J., Kann,L., Lehoczký,J., LeVine,R., McEwan,P., McKernan,K., Meldrim,J., Mesirov,J.P., Miranda,C., Morris,W., Naylor,J., Raymond,C., Rosetti,M., Santos,R., Sheridan,A., Sougnez,C., Stange-Thomann,N., Stojanovic,N., Subramanian,A., Wyman,D., Rogers,J., Sulston,J., Ainscough,R., Beck,S., Bentley,D., Burton,J., Clee,C., Carter,N., Coulson,A., Deadman,R., Deloukas,P., Dunham,A., Dunham,I., Durbin,R., French,L., Grafham,D., Gregory,S., Hubbard,T., Humphray,S., Hunt,A., Jones,M., Lloyd,C., McMurray,A., Matthews,L., Mercer,S., Milne,S., Mullikin,J.C., Mungall,A., Plumb,R., Ross,M., Shownkeen,R., Sims,S., Waterston,R.H., Wilson,R.K., Hillier,L.W., McPherson,J.D., Marra,M.A., Mardis,E.R., Fulton,L.A., Chinwalla,A.T., Pepin,K.H., Gish,W.R., Chissole,S.L., Wendl,M.C., Delehaunty,K.D., Miner,T.L., Delehaunty,A., Kramer,J.B., Cook,L.L., Fulton,R.S., Johnson,D.L., Minx,P.J., Clifton,S.W., Hawkins,T., Branscomb,E., Predki,P., Richardson,P., Wenning,S., Slezak,T., Doggett,N., Cheng,J.F., Olsen,A., Lucas,S., Elkin,C., Uberbacher,E., Frazier,M., Gibbs,R.A., Muzny,D.M., Scherer,S.E., Bouck,J.B., Sodergren,E.J., Worley,K.C., Rives,C.M., Gorrell,J.H., Metzker,M.L., Naylor,S.L., Kucherlapati,R.S., Nelson,D.L., Weinstock,G.M., Sakaki,Y., Fujiyama,A., Hattori,M., Yada,T., Toyoda,A., Itoh,T., Kawagoe,C., Watanabe,H., Totoki,Y., Taylor,T., Weissenbach,J., Heilig,R., Saurin,W., Artiguenave,F., Brottier,P., Bruls,T., Pelletier,E., Robert,C., Wincker,P., Smith,D.R., Doucette-Stamm,L., Rubenfield,M., Weinstock,K., Lee,H.M., Dubois,J., Rosenthal,A., Platzer,M., Nyakatura,G., Taudien,S., Rump,A., Yang,H., Yu,J., Wang,J., Huang,G., Gu,J., Hood,L., Rowen,L., Madan,A., Qin,S., Davis,R.W., Federspiel,N.A., Abola,A.P., Proctor,M.J., Myers,R.M., Schmutz,J., Dickson,M., Grimwood,J., Cox,D.R., Olson,M.V., Kaul,R., Raymond,C., Shimizu,N., Kawasaki,K., Minoshima,S., Evans,G.A., Athanasiou,M., Schultz,R., Roe,B.A., Chen,F.,

- Pan,H., Ramser,J., Lehrach,H., Reinhardt,R., McCombie,W.R., de la,B.M., Dedhia,N., Blocker,H., Hornischer,K., Nordsiek,G., Agarwala,R., Aravind,L., Bailey,J.A., Bateman,A., Batzoglou,S., Birney,E., Bork,P., Brown,D.G., Burge,C.B., Cerutti,L., Chen,H.C., Church,D., Clamp,M., Copley,R.R., Doerks,T., Eddy,S.R., Eichler,E.E., Furey,T.S., Galagan,J., Gilbert,J.G., Harmon,C., Hayashizaki,Y., Haussler,D., Hermjakob,H., Hokamp,K., Jang,W., Johnson,L.S., Jones,T.A., Kasif,S., Kasprzyk,A., Kennedy,S., Kent,W.J., Kitts,P., Koonin,E.V., Korf,I., Kulp,D., Lancet,D., Lowe,T.M., McLysaght,A., Mikkelsen,T., Moran,J.V., Mulder,N., Pollara,V.J., Ponting,C.P., Schuler,G., Schultz,J., Slater,G., Smit,A.F., Stupka,E., Szustakowski,J., Thierry-Mieg,D., Thierry-Mieg,J., Wagner,L., Wallis,J., Wheeler,R., Williams,A., Wolf,Y.I., Wolfe,K.H., Yang,S.P., Yeh,R.F., Collins,F., Guyer,M.S., Peterson,J., Felsenfeld,A., Wetterstrand,K.A., Patrinos,A., Morgan,M.J., Szustakowski,J., de Jong,P., Catanese,J.J., Osoegawa,K., Shizuya,H., and Choi,S. (2001). Initial sequencing and analysis of the human genome. *Nature* 409, 860-921.
- Muniz,M., Nuoffer,C., Hauri,H.P., and Riezman,H. (2000). The Emp24 complex recruits a specific cargo molecule into endoplasmic reticulum-derived vesicles. *J. Cell Biol.* 148, 925-930
 - Munro,S. and Pelham,H.R. (1987). A C-terminal signal prevents secretion of luminal ER proteins. *Cell* 48, 899-907
 - Neerman-Arbez,M., Johnson,K.M., Morris,M.A., McVey,J.H., Peyvandi,F., Nichols,W.C., Ginsburg,D., Rossier,C., Antonarakis,S.E., and Tuddenham,E.G.D. (1999). Molecular analysis of the ERGIC-53 gene in 35 families with combined factor Vfactor VIII deficiency. *Blood* 93, 2253-2260
 - Nehls,S., Snapp,E.L., Cole,N.B., Zaal,K.J., Kenworthy,A.K., Roberts,T.H., Ellenberg,J., Presley,J.F., Siggia,E., and Lippincott-Schwartz,J. (2000). Dynamics and retention of misfolded proteins in native ER membranes. *Nat. Cell Biol.* 2, 288-295
 - Nichols,W.C., Seligsohn,U., Zivelin,A., Terry,V.H., Arnold,N.D., Siemieniak,D.R., Kaufman,R.J., and Ginsburg,D. (1997). Linkage of combined


factors V and VIII deficiency to chromosome 18q by homozygosity mapping. *J. Clin. Invest.* 99, 596-601

- Nichols, W.C., Seligsohn, U., Zivelin, A., Terry, V.H., Hertel, C.E., Wheatley, M.A., Moussalli, M.J., Hauri, H.-P., Ciavarella, N., Kaufman, R.J., and Ginsburg, D. (1998). Mutations in the ER-Golgi intermediate compartment protein ERGIC-53 cause combined deficiency of coagulation factors V and VIII. *Cell* 93, 61-70
- Nichols, W.C., Terry, V.H., Wheatley, M.A., Yang, A., Zivelin, A., Ciavarella, N., Stefanile, C., Matsushita, T., Saito, H., de Bosch, N.B., Ruiz-Saez, A., Torres, A., Thompson, A.R., Feinstein, D.I., White, G.C., Negrier, C., Vinciguerra, C., Aktan, M., Kaufman, R.J., Ginsburg, D., and Seligsohn, U. (1999). ERGIC-53 gene structure and mutation analysis in 19 combined factors V and VIII deficiency families. *Blood* 93, 2261-2266
- Nufer, O., Guldbrandsen, S., Degen, M., Kappeler, F., Paccaud, J.P., Tani, K., and Hauri, H.P. (2002). Role of cytoplasmic C-terminal amino acids of membrane proteins in ER export. *J. Cell Sci.* 115, 619-628
- Pipe, S.W., Morris, J.A., Shah, J., and Kaufman, R.J. (1998). Differential interaction of coagulation factor VIII and factor V with protein chaperones calnexin and calreticulin. *J. Biol. Chem.* 273, 8537-8544.
- Schekman, R. and Orci, L. (1996). Coat proteins and vesicle budding. *Science* 271, 1526-1533.
- Springer, S., Chen, E., Duden, R., Marzioch, M., Rowley, A., Hamamoto, S., Merchant, S., and Schekman, R. (2000). The p24 proteins are not essential for vesicular transport in *Saccharomyces cerevisiae*. *Proc. Natl. Acad. Sci. U. S. A* 97, 4034-4039
- Tisdale, E.J., Plutner, H., Matteson, J., and Balch, W.E. (1997). p53/58 binds COPI and is required for selective transport through the early secretory pathway. *J. Cell Biol.* 137, 581-593
- Vollenweider, F., Kappeler, F., Itin, C., and Hauri, H.P. (1998). Mistargeting of the lectin ERGIC-53 to the endoplasmic reticulum of HeLa cells impairs the secretion of a lysosomal enzyme. *J. Cell Biol.* 142, 377-389

- Warren,G. and Mellman,I. (1999). Bulk flow redux? Cell 98, 125-127.
- Wieland,F.T., Gleason,M.L., Serafini,T.A., and Rothman,J.E. (1987). The rate of bulk flow from the endoplasmic reticulum to the cell surface. Cell 50, 289-300.
- Semenza,J.C., Hardwick,K.G., Dean,N., and Pelham,H.R. (1990). ERD2, a yeast gene required for the receptor-mediated retrieval of luminal ER proteins from the secretory pathway. Cell 61, 1349-1357.


This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: July 6, 2004



David A. Casimir
Registration No. 42,395

MEDLEN & CARROLL, LLP
101 Howard Street, Suite 305
San Francisco, California 94105
608/218-6900

FORM PTO-1449 (Modified)		 U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No.: UM-08901	Serial No.:
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets if Necessary)				Applicant: David Ginsburg <i>et al.</i>	
				Filing Date:	Group Art Unit:
(37 CFR § 1.98(b))					
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
	1	Appenzeller,C., Andersson,H., Kappeler,F., and Hauri,H.P. (1999). The lectin ERGIC-53 is a cargo transport receptor for glycoproteins. <i>Nat. Cell Biol.</i> 1, 330-334			
	2	Arar,C., Carpentier,V., Le Caer,J.P., Monsigny,M., Legrand,A., and Roche,A.C. (1995). ERGIC-53, a membrane protein of the endoplasmic reticulum-Golgi intermediate compartment, is identical to MR60, an intracellular mannose-specific lectin of myelomonocytic cells. <i>J. Biol. Chem.</i> 270, 3551-3553			
	3	Belden,W.J. and Barlowe,C. (2001). Role of Erv29p in collecting soluble secretory proteins into ER-derived transport vesicles. <i>Science</i> 294, 1528-1531.			
	4	Chiu,H.C., Schick,P.K., and Colman,R.W. (1985). Biosynthesis of factor V in isolated guinea pig megakaryocytes. <i>J. Clin. Invest.</i> 75, 339-346			
	5	Deka,N., Wong,E., Matera,A.G., Kraft,R., Leinwand,L.A., and Schmid,C.W. (1988). Repetitive nucleotide sequence insertions into a novel calmodulin- related gene and its processed pseudogene. <i>Gene</i> 71, 123-134			
	6	Do,H., Healey,J.F., Waller,E.K., and Lollar,P. (1999). Expression of factor VIII by murine liver sinusoidal endothelial cells. <i>J. Biol. Chem.</i> 274, 19587-19592			
	7	Fiedler,K. and Simons,K. (1994). A putative novel class of animal lectins in the secretory pathway homologous to leguminous lectins. <i>Cell</i> 77, 625-626			
	8	Fiedler,K. and Simons,K. (1996). Characterization of VIP36, an animal lectin homologous to leguminous lectins. <i>J. Cell Sci.</i> 109 (Pt 1), 271-276			
	9	Ginsburg,D. (2002). Hemophilia and Other Disorders of Hemostasis. In Emery and Rimoin's Principles and Practice of Medical Genetics, Vol. II, D.L.Rimoin, J.M.Connor, and R.E.Pyeritz, eds. (New York: Churchill Livingstone), pp. 1926-1958			
	10	Hebert,D.N., Foellmer,B., and Helenius,A. (1995). Glucose trimming and reglucosylation determine glycoprotein association with calnexin in the endoplasmic reticulum. <i>Cell</i> 81, 425-433			
	11	Itin,C., Roche,A.C., Monsigny,M., and Hauri,H.P. (1996). ERGIC-53 is a functional mannose-selective and calcium-dependent human homologue of leguminous lectins. <i>Mol. Biol. Cell</i> 7, 483-493			
	12	Kappeler,F., Klopfenstein,D.R., Foguet,M., Paccaud,J.P., and Hauri,H.P. (1997). The recycling of ERGIC-53 in the early secretory pathway. ERGIC-53 carries a cytosolic endoplasmic reticulum-exit determinant interacting with COPII. <i>J. Biol. Chem.</i> 272, 31801-31808			
	13	Kaufman,R.J. (1998). Post-translational modifications required for coagulation factor secretion and function. <i>Thromb. Haemost.</i> 79, 1068-1079			
	14	Kaufman,R.J., Wasley,L.C., and Dorner,A.J. (1988). Synthesis, processing, and secretion of recombinant human factor VIII expressed in mammalian cells. <i>J. Biol. Chem.</i> 263, 6352-6362			
	15	Klumperman,J., Schweizer,A., Clausen,H., Tang,B.L., Hong,W., Oorschot,V., and Hauri,H.P. (1998). The recycling pathway of protein ERGIC-53 and dynamics of the ERGolgi intermediate compartment. <i>J. Cell Sci.</i> 111 (Pt 22), 3411-3425			
	16	Lander,E.S. and Botstein,D. (1987). Homozygosity mapping: A way to map human recessive traits with the DNA of inbred children. <i>Science</i> 236, 1567-1570.			
	17	Kuehn,M.J., Herrmann,J.M., and Schekman,R. (1998). COPII-cargo interactions direct protein sorting into ER-derived transport vesicles. <i>Nature</i> 391, 187-190.			
	18	Levy,G.G., Nichols,W.C., Lian,E.C., Foroud,T., McClintick,J.N., McGee,B.M., Yang,A.Y., Siemieniak,D.R., Stark,K.R., Gruppo,R., Sarode,R., Shurin,S.B., Chandrasekaran,V., Stabler,S.P., Sabio,H., Bouhassira,E.E., Upshaw,J.D., Jr., Ginsburg,D., and Tsai,H.M. (2001). Mutations in a member of the ADAMTS gene family cause thrombotic thrombocytopenic purpura. <i>Nature</i> 413, 488-494			
	19	Lewis,M.J., Sweet,D.J., and Pelham,H.R. (1990). The ERD2 gene determines the specificity of the luminal ER protein retention system. <i>Cell</i> 61, 1359-1363			
	20	Martin-Bermudo,M.D. and Brown,N.H. (2000). The localized assembly of extracellular matrix integrin ligands requires cell-cell contact. <i>J. Cell Sci.</i> 113 Pt 21, 3715-3723			
	21	Martinez-Menarguez,J.A., Geuze,H.J., Slot,J.W., and Klumperman,J. (1999). Vesicular tubular clusters between the ER and Golgi mediate concentration of soluble secretory proteins by exclusion from COPI- coated vesicles. <i>Cell</i> 98, 81-90			
	22	Moussalli,M., Pipe,S.W., Hauri,H.-P., Nichols,W.C., Ginsburg,D., and Kaufman,R.J. (1999). Mannose-dependent endoplasmic reticulum (ER)-Golgi intermediate compartment-53-mediated ER to Golgi trafficking of coagulation factors V and VIII. <i>J. Biol. Chem.</i> 274, 32539-32542			
	23	Muniz,M., Morsomme,P., and Riezman,H. (2001). Protein sorting upon exit from the endoplasmic reticulum. <i>Cell</i> 104, 313-320			
Examiner:			Date Considered:		
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

FORM PTO-1449 (Modified)		U.S. Department of Commerce Patent and Trademark Office		Attorney Docket No.: UM-08901	Serial No.:
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)				Applicant: David Ginsburg <i>et al.</i>	
				Filing Date:	Group Art Unit:
(37 CFR § 1.98(b))					
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
	24	Lander,E.S., Linton,L.M., Birren,B., Nusbaum,C., Zody,M.C., Baldwin,J., Devon,K., Dewar,K., Doyle,M., FitzHugh,W., Funke,R., Gage,D., Harris,K., Heaford,A., Howland,J., Kann,L., Lehoczy,J., LeVine,R., McEwan,P., McKernan,K., Meldrim,J., Mesirov,J.P., Miranda,C., Morris,W., Naylor,J., Raymond,C., Rosetti,M., Santos,R., Sheridan,A., Sougnez,C., Stange-Thomann,N., Stojanovic,N., Subramanian,A., Wyman,D., Rogers,J., Sulston,J., Ainscough,R., Beck,S., Bentley,D., Burton,J., Clee,C., Carter,N., Coulson,A., Deadman,R., Deloukas,P., Dunham,A., Dunham,I., Durbin,R., French,L., Grafham,D., Gregory,S., Hubbard,T., Humphray,S., Hunt,A., Jones,M., Lloyd,C., McMurray,A., Matthews,L., Mercer,S., Milne,S., Mullikin,J.C., Mungall,A., Plumb,R., Ross,M., Shownkeen,R., Sims,S., Waterston,R.H., Wilson,R.K., Hillier,L.W., McPherson,J.D., Marra,M.A., Mardis,E.R., Fulton,L.A., Chinwalla,A.T., Pepin,K.H., Gish,W.R., Chissoe,S.L., Wendl,M.C., Delehaunty,K.D., Miner,T.L., Delehaunty,A., Kramer,J.B., Cook,L.L., Fulton,R.S., Johnson,D.L., Minx,P.J., Clifton,S.W., Hawkins,T., Branscomb,E., Predki,P., Richardson,P., Wenning,S., Slezak,T., Doggett,N., Cheng,J.F., Olsen,A., Lucas,S., Elkin,C., Uberbacher,E., Frazier,M., Gibbs,R.A., Muzny,D.M., Scherer,S.E., Bouck,J.B., Sodergren,E.J., Worley,K.C., Rives,C.M., Gorrell,J.H., Metzker,M.L., Naylor,S.L., Kucherlapati,R.S., Nelson,D.L., Weinstock,G.M., Sakaki,Y., Fujiyama,A., Hattori,M., Yada,T., Toyoda,A., Itoh,T., Kawagoe,C., Watanabe,H., Totoki,Y., Taylor,T., Weissenbach,J., Heilig,R., Saurin,W., Artiguenave,F., Brottier,P., Bruls,T., Pelletier,E., Robert,C., Wincker,P., Smith,D.R., Doucette-Stamm,L., Rubinfeld,M., Weinstock,K., Lee,H.M., Dubois,J., Rosenthal,A., Platzer,M., Nyakatura,G., Taudien,S., Rump,A., Yang,H., Yu,J., Wang,J., Huang,G., Gu,J., Hood,L., Rowen,L., Madan,A., Qin,S., Davis,R.W., Federspiel,N.A., Abola,A.P., Proctor,M.J., Myers,R.M., Schmutz,J., Dickson,M., Grimwood,J., Cox,D.R., Olson,M.V., Kaul,R., Raymond,C., Shimizu,N., Kawasaki,K., Minoshima,S., Evans,G.A., Athanasiou,M., Schultz,R., Roe,B.A., Chen,F., Pan,H., Ramser,J., Lehrach,H., Reinhardt,R., McCombie,W.R., de la,B.M., Dedhia,N., Blocker,H., Hornischer,K., Nordsiek,G., Agarwala,R., Aravind,L., Bailey,J.A., Bateman,A., Batzoglou,S., Birney,E., Bork,P., Brown,D.G., Burge,C.B., Cerutti,L., Chen,H.C., Church,D., Clamp,M., Copley,R.R., Doerks,T., Eddy,S.R., Eichler,E.E., Furey,T.S., Galagan,J., Gilbert,J.G., Harmon,C., Hayashizaki,Y., Haussler,D., Hermjakob,H., Hokamp,K., Jang,W., Johnson,L.S., Jones,T.A., Kasif,S., Kasprzyk,A., Kennedy,S., Kent,W.J., Kitts,P., Koonin,E.V., Korf,I., Kulp,D., Lancet,D., Lowe,T.M., McLysaght,A., Mikkelsen,T., Moran,J.V., Mulder,N., Pollara,V.J., Ponting,C.P., Schuler,G., Schultz,J., Slater,G., Smit,A.F., Stupka,E., Szustakowski,J., Thierry-Mieg,D., Thierry-Mieg,J., Wagner,L., Wallis,J., Wheeler,R., Williams,A., Wolf,Y.I., Wolfe,K.H., Yang,S.P., Yeh,R.F., Collins,F., Guyer,M.S., Peterson,J., Felsenfeld,A., Wetterstrand,K.A., Patrinos,A., Morgan,M.J., Szustakowski,J., de Jong,P., Catanese,J.J., Osoegawa,K., Shizuya,H., and Choi,S. (2001). Initial sequencing and analysis of the human genome. <i>Nature</i> 409, 860-921.			
	25	Muniz,M., Nuoffer,C., Hauri,H.P., and Riezman,H. (2000). The Emp24 complex recruits a specific cargo molecule into endoplasmic reticulum-derived vesicles. <i>J. Cell Biol.</i> 148, 925-930			
	26	Munro,S. and Pelham,H.R. (1987). A C-terminal signal prevents secretion of luminal ER proteins. <i>Cell</i> 48, 899-907			
	27	Neerman-Arbez,M., Johnson,K.M., Morris,M.A., McVey,J.H., Peyvandi,F., Nichols,W.C., Ginsburg,D., Rossier,C., Antonarakis,S.E., and Tuddenham,E.G.D. (1999). Molecular analysis of the ERGIC-53 gene in 35 families with combined factor V factor VIII deficiency. <i>Blood</i> 93, 2253-2260			
	28	Nehls,S., Snapp,E.L., Cole,N.B., Zaal,K.J., Kenworthy,A.K., Roberts,T.H., Ellenberg,J., Presley,J.F., Siggia,E., and Lippincott-Schwartz,J. (2000). Dynamics and retention of misfolded proteins in native ER membranes. <i>Nat. Cell Biol.</i> 2, 288-295			
	29	Nichols,W.C., Seligsohn,U., Zivelin,A., Terry,V.H., Arnold,N.D., Siemieniak,D.R., Kaufman,R.J., and Ginsburg,D. (1997). Linkage of combined factors V and VIII deficiency to chromosome 18q by homozygosity mapping. <i>J. Clin. Invest.</i> 99, 596-601			
	30	Nichols,W.C., Seligsohn,U., Zivelin,A., Terry,V.H., Hertel,C.E., Wheatley,M.A., Moussalli,M.J., Hauri,H.-P., Ciavarella,N., Kaufman,R.J., and Ginsburg,D. (1998). Mutations in the ER-Golgi intermediate compartment protein ERGIC-53 cause combined deficiency of coagulation factors V and VIII. <i>Cell</i> 93, 61-70			
	31	Nichols,W.C., Terry,V.H., Wheatley,M.A., Yang,A., Zivelin,A., Ciavarella,N., Stefanile,C., Matsushita,T., Saito,H., de Bosch,N.B., Ruiz-Saez,A., Torres,A., Thompson,A.R., Feinstein,D.I., White,G.C., Negrier,C., Vinciguerra,C., Aktan,M., Kaufman,R.J., Ginsburg,D., and Seligsohn,U. (1999). ERGIC-53 gene structure and mutation analysis in 19 combined factors V and VIII deficiency families. <i>Blood</i> 93, 2261-2266			
	32	Nufer,O., Guldbrandsen,S., Degen,M., Kappeler,F., Paccaud,J.P., Tani,K., and Hauri,H.P. (2002). Role of cytoplasmic C-terminal amino acids of membrane proteins in ER export. <i>J. Cell Sci.</i> 115, 619-628			
	33	Pipe,S.W., Morris,J.A., Shah,J., and Kaufman,R.J. (1998). Differential interaction of coagulation factor VIII and factor V with protein chaperones calnexin and calreticulin. <i>J. Biol. Chem.</i> 273, 8537-8544.			
	34	Schekman,R. and Orci,L. (1996). Coat proteins and vesicle budding. <i>Science</i> 271, 1526-1533.			
	35	Springer,S., Chen,E., Duden,R., Marzioch,M., Rowley,A., Hamamoto,S., Merchant,S., and Schekman,R. (2000). The p24 proteins are not essential for vesicular transport in <i>Saccharomyces cerevisiae</i> . <i>Proc. Natl. Acad. Sci. U. S. A.</i> 97, 4034-4039			
	36	Tisdale,E.J., Plutner,H., Matteson,J., and Balch,W.E. (1997). p53/58 binds COPI and is required for selective transport through the early secretory pathway. <i>J. Cell Biol.</i> 137, 581-593			
Examiner:		Date Considered:			
EXAMINER:					

U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: UM-08901

Serial No.:

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Applicant: David Ginsburg *et al.*

(37 CFR § 1.98(b))

Filing Date:

Group Art Unit:

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

[illegible]

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.